

Tagging.Delete

Method	Delete
Module	Tagging
Library	Core
Action	Delete the named tag of the specified type, and indicate if it originally existed.
Parameters	Name (string): The name of the tag to delete. Scopable (boolean; optional): <ul style="list-style-type: none">• true - Delete a Coverage tag (default)• false - Delete a Freeform tag
Return values	Name (string): The tag's name. Present (boolean): true if the tag originally existed (and so was deleted), false if there was no such tag.
Example	<pre>// Delete the "WithScanner" freeform tag Tagging.Delete(Name: "WithScanner", Scopable: false);</pre>
Platforms	<ul style="list-style-type: none">• Windows• Linux• MacOS• Solaris Intel• Solaris Sparc• Android
Notes	<p>It is not an error if the tag does not exist.</p> <p>See Tags page for guidance using tags.</p> <p>The following methods existing in the Agent Tagging module:</p> <ul style="list-style-type: none">• Tagging.Check — Tests the existence of a named tag of a specified type, optionally with the specified value.• Tagging.Clear — Delete all tags of the specified type.• Tagging.Count — Get the quantity of tags of the specified type.• Tagging.Delete — Delete the named tag of the specified type, and indicate if it originally existed.• Tagging.Get — Indicate whether a named tag of the specified type is present and return its value if present.• Tagging.GetAll — Fetch the tag list (containing all tags) of the specified type.• Tagging.Set — Set (or change if already set) the named tag of the specified type to the specified value.