


Tagging.Clear

Method	Clear
Module	Tagging
Library	Core
Action	Delete all tags of the specified type.
Parameters	Scopable (boolean; optional): <ul style="list-style-type: none">• <code>true</code> - Delete all Coverage tags (default)• <code>false</code> - Delete all Freeform tags
Return values	Success (boolean): Whether deletion of all tags of the type was completely successful or not.
Example	<pre>// Delete all freeform tags Tagging.Clear(Scopable: false);</pre>
Platforms	<ul style="list-style-type: none">• Windows• Linux• MacOS• Solaris Intel• Solaris Sparc• Android
Notes	<div style="border: 1px solid #ccc; padding: 5px; background-color: #fff9c4;"> Use with care! This method is recommended only for testing.</div> <p>See Tags page for guidance using tags.</p> <p>The following methods existing in the Agent Tagging module:</p> <ul style="list-style-type: none">• Tagging.Check — Tests the existence of a named tag of a specified type, optionally with the specified value.• Tagging.Clear — Delete all tags of the specified type.• Tagging.Count — Get the quantity of tags of the specified type.• Tagging.Delete — Delete the named tag of the specified type, and indicate if it originally existed.• Tagging.Get — Indicate whether a named tag of the specified type is present and return its value if present.• Tagging.GetAll — Fetch the tag list (containing all tags) of the specified type.• Tagging.Set — Set (or change if already set) the named tag of the specified type to the specified value.