

Storage.GetRemote

Method	GetRemote
Module	Storage
Library	Core
Action	Retrieve the requested datum directly from the Platform central repository. New in v8.0.
Parameters	Name (string): The key of the datum to retrieve. Case is significant. TimeoutSecs (integer; optional, default 60): If the operation has not completed within the specified time period, it will fail with an error.
Return values	Value (table): Contents of the value retrieved as a string, which may be empty, either because the value is empty or because the key does not exist.
Example	<pre>@token = Storage.GetRemote(Name: "Api.Token");</pre>
Platforms	<ul style="list-style-type: none">• Windows• Linux• MacOS• Solaris Intel• Solaris Sparc• Android
Notes	<p>It is not an error if the datum named by the key does not exist, but an empty result is returned.</p> <p>This method does not return a value in TIMS because the Switch is involved for it to work.</p> <p>See User Defined Persistent Storage page for guidance using persistent storage tables.</p> <p>The following methods exist in the Agent Storage module:</p> <ul style="list-style-type: none">• Storage.Check — Tests the existence of a user defined persistent storage table.• Storage.Delete — Removes an existing user defined persistent storage table.• Storage.Get — Indicate whether a persistent storage table of the specified name is present and return its contents if present.• Storage.GetRemote — Retrieve the requested datum directly from the Platform central repository.• Storage.Set — Set or change the value of the named persistent storage table.