

# Reference

## Summary

All reference material for Nomad 7.0.200 including all the list and table type information, such as installer properties in alphabetical lists etc.

### In this section

#### [Supported Platforms](#)

#### [Server sizing](#)

#### [Communication ports](#)

#### [Nomad installer properties](#)

Subject-oriented lists of Nomad installer properties. There are two Nomad installers that have usable installer properties: 1E.Client-x64.msi (and its x86 version) and NomadBranchAdminUIExt.msi.

- [Nomad client alphabetic installer properties](#)

#### [Nomad registry values](#)

- [Alphabetic NomadBranch registry values](#)
- [Nomad client registry values and installer properties](#)

#### [Nomad command-line switches](#)

- [SMSNomad.exe command-line switches](#)
- [NomadBranch.exe command-line switches](#)
- [Nomad package locator command-line switches](#)
- [TSEnv2 command-line switches](#)

#### [Nomad return codes](#)

#### [Status messages for download events](#)

Nomad can send status messages through Configuration Manager based on specific download events which appear in its deployment status.

#### [Nomad local multicast](#)

#### [Basic Nomad behavior in a simple environment](#)

#### [Index](#)

#### [Release notes](#)

- [Features by release](#) — This maintenance release is implemented as the Nomad module in 1E Client 5.1 and introduces the following features
- [Licenses](#)

#### [Log files](#)

Names and locations of log files created by Nomad.